

## TECHNICAL DATA SHEET

### EPDM PEROXIDE CURED

Polymer	<b>EPDM</b>	
Colour	<b>Black</b>	
Specific Gravity	<b>1.15 g/cm<sup>3</sup></b>	ASTM D297
Hardness	<b>70° ± 5° Shore A</b>	ASTM D2240
Abrasion	<b>275mm<sup>3</sup> (max) @ 10N</b>	ASTM D5963
Tensile Strength	<b>11 MPa (min)</b>	ASTM D412
Elongation @ break	<b>350 % (min)</b>	ASTM D412
Compression Set	<b>30 %</b>	ASTM D395 B
Tear Strength	<b>45 N/mm (min)</b>	ASTM D624
Temperature Range	<b>-30°C to +120°C</b>	

